



TECHNOLOGIES

TELECOMMUNICATION

DT Antenna Product



Parabolic Reflector Antenna


2 to 8 GHz

1.2m Reflector Diameter

Part Number: PR-1200-PF-2-8-SL-NF

Contents: Typical Gain / Antenna Factor

Typical Beamwidth / Patterns





	Gain	Typically 26 ~ 37 dBi
	Power Handling	500 Watts c. w.
	VSWR	Typically <2:1
	Polarization	Single Linear
	3dB Beamwidth	1 to 8 degrees
	Connector Type	N Type Female
	Weight	≈ 14 kg
	Approximate Size	≈ Reflector diameter 1230 mm maximum
	Construction	Aluminium reflector, painted, painted Brass/ copper plastic composite feed





Typical Antenna Gain / Factor

This is calculated by reference to standard gain horn antennas, and cross checked with reference to the antenna beamwidth, with an estimated error of +/- 0.8dB.




Typical Antenna Return Loss / VSWR





Typical Antenna HPBW



Farfield Directivity Abs (Phi= 0,90)



TECHNOLOGIES

Phone: +1(949)508 0037
Email: Sales@dioon.us

DIOON TECHNOLOGIES

WWW.DIOON.US

The Advanced Way

United States Office
660 Wald, Irvine, CA92618